



Now you can make
the best even better!

Introducing **ARMORLam**[®]

Protective Overlaminates System

Everything Jessup puts into providing you with the best graphics media in the industry, we also put into *ARMORLam*[®], the protective anti-slip overlaminates system made specifically to give all Jessup graphics products added longevity, enhanced safety, and more value.

Best of all, you will look like a graphics media expert-- because you selected the best graphics products and overlaminates system available on the market today.



ARMORLam[®] 5 PVC Free
ARMORLam[®] 23 *Heavy Duty*

Now, you can get one of the only UL 410 certified PVC free overlaminates available on the market today: the 5 mil overlaminates is made without polyvinyl chloride.

Order now: 1-888-711-7735.

Potential Trip
Locations



ARMORLam[®]

Protective Overlamine System

The graphics you use can say a lot about your company and your brand. This is all the more obvious when those graphics don't hold up, especially in harsher environments. That's precisely why the ARMORLam[®] System of overlaminates from Jessup paired with Jessup graphics media is such a welcome solution.

Top Seven Reasons the ARMORLam[®] System is your clearly brilliant solution.

- 1. Simple:** Add our 5-mil or 23-mil overlaminate and you have protected outdoor or indoor floor graphics.
- 2. Versatile:** Media options to adhere to most wall and floor surfaces, including fabric and carpet.
- 3. Durable:** Stays stuck up to 6 months for the 5 mil and up to 12 months for the 23 mil depending upon media and when media is installed per manufacturer's directions.
- 4. Safety:** Clear and textured overlaminates are UL 410 and ASTM D-2047 certified for slip resistance.
- 5. Eco-Friendly:** PVC free overlaminate option - the 5 mil is a non-vinyl solution.
- 6. Support:** Visit www.jessupmfg.com for resources to make your job easier.
- 7. Real Value:** See all of the above.

Order now: 1-888-711-7735.

ARMORLam[®] 5: OL-CLRTXT-54x150

ARMORLam[®] 23: Floor01-CL



Potentially Harmful

ARMORLam[®]

Protective Overlaminates System

Millions of people walk all over our reputation for durability and slip resistance daily.

You can see the ARMORLam[®] System hard at work, every day, in every kind of setting — from retail to factories, institutions to government buildings, and everything in between. In fact, graphics overlaminated with Jessup overlams have helped to bring floor and wall graphics to new heights of popularity.

All the more reason to ask us about how the ARMORLam[®] System can go to work for you.

Most important - the ARMORLam[®] System covers your back.

You've told us how important your success, reputation and growth is tied to the products you use. That's why we created the ARMORLam[®] System in the first place: to provide not only the best graphics products, but the best overlamination to protect them — and your reputation.

Call us today to find out more ways the ARMORLam[®] System of protective overlaminates keep you totally covered.

Order now: 1-888-711-7735.

ARMORLam[®] 5: OL-CLRTXT-54x150

ARMORLam[®] 23: Floor01-CL

Wet Locations

ARMORLam[®]

Protective Overlaminates System



Use ARMORLam[®] with these Jessup recommended floor applications.

	ARMORLam [®] 5	ARMORLam [®] 23	Key Application Features
WallPro-3™	Up to 3 months Indoors	Up to 6 months Indoors	Removable adhesive PVC substrate Retail store floor graphics
WallPro-4™	Up to 3 months Indoors	Up to 6 months Indoors	Removable adhesive PVC-free substrate Retail store floor graphics
TexWalk[®] Smooth	Up to 3 months Indoors/Outdoors	Up to 6 months Indoors/Outdoors	Removable adhesive Fabric reinforced PVC Retail store floor graphics
Smooth-N-Groove™	3 to 6 months Indoors/Outdoors	3 to 12 months Indoors/Outdoors	Permanent adhesive Formable media Drive-thru/Pickup signage
TenaciousTac™	3 to 6 months Indoors/Outdoors	3 to 12 months Indoors/Outdoors	Permanent adhesive PVC substrate Factory floor signage

Note: Customers are expected to test products for their application – durability is dependent upon types & amount of traffic, environment and surfaces.

ARMORLam®

Protective Overlaminates System



ARMORLam® Specifications

	ARMORLam® 5	ARMORLam® 23
PRODUCT NUMBER	OL-CLRTXT-54x150	Floor01-CL
COMPLIANCE & STANDARDS	UL410, ASTM D-2047	UL410, ASTM D-2047
KEY FEATURES	Medium-duty overlaminates for floor graphics	Heavy-duty overlaminates for long-lasting floor and wall graphics
TYPE OF TRAFFIC	Pedestrian, Medium Traffic	Pedestrian, Vehicle Traffic, Heavy Traffic
PVC FREE	Yes	No
ROLL SIZE	27"x10', 54"x 150'	27"x10', 54"x 50', 54"x100'
INDOOR & OUTDOOR	Indoor & Outdoor	Indoor & Outdoor
DURABILITY	Up to 6 months <i>Depending on application.</i>	Up to 12 months <i>Depending on application.</i>
THICKNESS	5 mil embossed	23 mil embossed
APPLICATIONS	Interior Floor and Wall Graphics, Temporary Graphics Signage, POP Retail Signs	Exterior Floor Graphics, Temporary Floor Graphics, Wayfinding, Drive Through Graphics, Floor Safety Markings, 5S Markings, Safety Tapes
COMPLIANCE & STANDARDS	UL410, ASTM D-2047	UL410, ASTM D-2047



Order Now.

Scan the QR code and order online or call 1-888-711-7735.

Jessup Manufacturing Company
McHenry, IL 60051
815-385-6650
www.jessupmfg.com
©2021 Jessup
MKT-JMC-ARMOR070821